



# CONTI® SILO AIRXTREME

Top quality for silo vehicles



**MARKING:** 3 orange, axially applied stripes on a black background "Continental SILO AIRXTREME DN 75 PN 6 BAR / 87 PSI Made in Germany"

## APPLICATIONS

Silo vehicles

## FLOW MEDIUM

Air, Compressed air

## DESCRIPTION

- Inner lining:** EPDM, white, non-porous, smooth
- Reinforcements:** Textile reinforcement with 2 embedded Cu-wires  
With galvanised spring steel helix
- Cover:** EPDM, black, fabric patterned
- Working pressure up to:** 6 bar / 87 psi
- Temperature range:** from -40 °C / -40 °F up to +180 °C / +356 °F  
up to +240 °C / +464 °F

## TECHNICAL DATA

nominal width	inner-Ø	wall thickness	outer-Ø	length	helix	working pressure	min. burst pressure	vacuum	min. bending radius	weight			
zoll/inch	mm	mm	mm	m	helix	bar	psi	bar	mmHG	aprx. mm	aprx. g/ m		
2	50	7	64	40	●	6	87	24	348	-0,8	-600	125	1850
2 1/8	55	7	69	40	●	6	87	24	348	-0,8	-600	140	1970
2 3/8	60	7	74	40	●	6	87	24	348	-0,8	-600	150	2120
2 5/8	65	7	79	40	●	6	87	24	348	-0,8	-600	165	2300
3	75	7,5	90	40	●	6	87	24	348	-0,8	-600	225	3150
3 5/8	90	7	104	40	●	6	87	24	348	-0,8	-600	310	3400

Temperature resistance applies only to materials used / All technical data apply at room temperature